



# Specification and Safety Data Sheet

## MCMB (MesoCarbon MicroBeads) Graphite Powder for Li-ion Battery Anode EQ-Lib-MCMB

### Battery Related Specification

- Chemical:MCMB (MesoCarbon MicroBeads)
- Container sealed in Al vacuumed bag.

Parameter	Unit	Data	Testing Method
D10	µm	8.087	Mastersizer 2000
D50	µm	17.649	Mastersizer 2000
D90	µm	33.080	Mastersizer 2000
Tap Density	g/cm <sup>3</sup>	1.324	FZS4-4
Moisture	%	0.035	Sartorius HN101-Drying Tankder
Carbon (C)	%	99.96	Sartorius KSW-Heat Oven
Specific Surface Area	m <sup>2</sup> /g	2.022	ST-08 SSA
First Discharge Capacity	mAh/g	345.2	Half cell test
First Coulombic Efficiency	%	93.40	Half cell test

### 1. Product and Company Identification

**Product Name:** Graphite  
**CAS#:** 7782-42-5  
**Chemical Formula:** C  
**Identified uses:** Laboratory chemicals, Manufacture of substances

**Contact Information:**  
MTI Corporation  
860 South 19<sup>th</sup> Street  
Richmond, CA 94804, USA  
Tel: 510-525-3070  
Fax: 510-525-4705  
Email: [info@mtixtl.com](mailto:info@mtixtl.com)  
Website: [www.mtixtl.com](http://www.mtixtl.com)

**Non-emergency assistance:** 1-888-525-3070

**Emergency assistance:** Company: CHEMTEL (MTI Contract# MIS2559467) Day or Night  
Tel (Within USA and Canada): 1-800-255-3924  
Tel (Outside USA and Canada): 1-813-248-0585



## 2. Hazards Identification

### Emergency Overview: GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Not a hazardous substance or mixture.

#### HMIS Rating

Health hazard: 0

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

#### NFPA Rating

Health hazard: 0

Fire Hazard: 0

Reactivity Hazard: 0

#### GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

#### Hazards not otherwise classified (HNOC) or not covered by GHS

none

## 3. Composition/Information on Ingredients

**Substance Name:** Graphite

**Formula:** C

**Molecular Weight:** 12.01 g/mol

**CAS-No. :** 7782-42-5

#### Hazardous Components

Component	Classification	Concentration
Graphite		<= 100 %

## 4. First Aid Measures

### 4.1 Description of first aid measures

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available



## 5. Firefighting Measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol resistant-foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further Information

Use water spray to cool unopened containers.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. Exposure Control/ Personal Protection

### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Graphite	7782-42-5	TWA	15.000000 Million particles per cubic foot	USA. Occupational Exposure Limits (OSHA) – Table Z-3 Mineral Dusts
	Remarks	Based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		



		TWA	2.500000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Graphite (synthetic)		
		TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Pneumoconiosis		
		TWA	2.500000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Also see specific listing for Graphite (synthetic).		
		See table Z-3		
		TWA	15 Million particles per cubic foot	USA. Occupational Exposure Limits (OSHA) – Table Z-3 Mineral Dusts
		Based in impinge samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Pneumoconiosis		
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	2.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Do not let product enter drains.

---

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: powder Color: grey
b) Odor	Odorless
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 3,652 - 3,697 °C (6,606 - 6,687 °F) - lit
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Relative density	1.900 g/cm <sup>3</sup>
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available



## 10. Stability and Reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

---

## 11. Toxicological Information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - 2,000 mg/m<sup>3</sup>

(OECD Test Guideline 403)

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

- Mouse

Did not cause sensitization on laboratory animals.

(OECD Test Guideline 429)

#### Germ cell mutagenicity

in vitro assay

S. typhimurium

Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.





## 14. Transport Information

**DOT (US)**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

## 15. Regulatory Information

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

No SARA Hazards

**Massachusetts Right to Know Components**

Graphite

CAS-No.

7782-42-5

Revision Date

1989-08-11

**Pennsylvania Right to Know Components**

Graphite

7782-42-5

1989-08-11

**New Jersey Right to Know Components**

Graphite

7782-42-5

1989-08-11

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, it does not represent any guarantee of the properties of the product. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we shall not be held liable for any damage resulting from handling or from contact with the above product. Users should make their own investigations to determine the suitability of the information for their particular purposes.